

SAFETY DATA SHEET

Blue Gold Industrial Cleaner Revision Date 05/28/2019

(360-MC)

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Blue Gold Industrial Cleaner Item 109

Product Use Hard Surface Cleaner / Degreaser

Company Name Modern Chemical, Inc. Office (501) 988-1311

P.O. Box 368 Fax (501) 988-2229

Jacksonville AR 72078 Web www.bluegoldcleaner.com

EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

SECTION – 2 HAZARDS INFORMATION

Pictogram



Signal Word Danger

Hazards Health, Physical and Environmental Hazard Statements Hazard Classification Code

Causes skin irritationCategory 2 SkinH315Causes serious eye damageCategory 1 EyesH318Harmful to aquatic lifeCategory 3 Acute ToxicityH402

Precautions Handling and Storage Code

Avoid breathing dust/fume/gas/mist/vapours/spray P261

Do not get in eyes, on skin, or on clothing P262

Wash thoroughly after handling P264

Avoid release to the environment P273

Use personal protective equipment as required (See Section 8) P281 S8

Store in a closed container P404

SECTION - 3 COMPOSITION I	NFORMATION	(Exact percentage of the listed chemicals of composition has been withheld as a trade secret).						
CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS#	<u>IMPURITIES</u>	PERCENT				
2-(2-Butoxyethoxy)ethanol Sodium	Diethylene Glycol Monobutyl Ether	112-34-5		7 - 10%				
Metasilicate Pentahydrate	Disodium Trioxosilicate	10213-79-3		4 - 9%				
Nonylphenol Ethoxylate	Nonylphenyl-polyethylene glycol	9016-45-9		1 – 4%				

Contains less than 5% Silica

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate

medical attention, preferably from an ophthalmologist

SKIN CONTACT Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before reuse, If

irritation is present or occurs obtain medical attention

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not considered to be an aspiration hazard

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Skin Can cause skin irritation, redness, drying or cracking
Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage

Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Symptoms may include,

nausea, diarrhea, vomiting, abdominal pain

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Incompatible with, strong oxidizing agents, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

FLAMMABLE LIQUIDS HAZARD CLASSIFICATION

Criteria Flash point > 93.3°C (200°F)

NFPA Class III B
GHS Not applicable
WHMIS Not applicable

NFPA HAZARD RATINGS

Health 2

Flammability ()

Reactivity ()

Special Hazards FBG



SECTION - 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Ventilate area, Avoid slipping on spilled product
Protective Equipment Safety Glasses, Chemical Gloves and Rubber Boots

Containment Use absorbent socks or pads to prevent spill from spreading

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water,

Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container

Vacuum or sweep up material and place in a disposal container

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid

inhalation of mist, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the

environment

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials

SECTION = 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

SECTION - U EXPOSURE CONTI	COLS IT ENSURAL FROTE.	CHON			
EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
2-(2-Butoxyethoxy)ethanol	10 ppm				
Sodium Metasilicate Pentahydrate	None Established				ED,SI,RT
Nonviphenol Ethoxylate	None Established				ED

PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves



Eye Wash and Safety Shower (Recommended)

Ventilation



Ventilate to keep vapors of this material below the lowest ppm listed above. If over Threshold Limit Value use a MSHA / NIOSH approved respirator

HMIS HAZARD RATINGS

HINIS HAZAKD	KAIINGS
Health	2
Flammability	0
Reactivity	0
Personal Protection	В

05/28/2019 Page 3 of 5 Blue Gold Industrial Cleaner **Revision Date**

SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES Specific Gravity / Density 1.08 Flash Point >212°F (100°C) TAG Closed Cup 13 0 Flammable Limits pH (± 0.3) ND ND Viscosity Auto-Ignition Temp. **Physical State** Liquid Freeze Point ND ND **Appearance** Clear Blue **Boiling Point** Peppermint Vapor Density (air=1) ND Odor ND **Odor Threshold** ND Vapor Pressure (mm Hg) ND Evaporation Rate (nBuAc=1) Solubility 100% Volatiles ND **Partition Coefficient** ND voc 0.5% at 5% dilution / 5 gm/L VOC in 5% dilution Molecular Weight (g/mol) ~ 82.44 ND **Decomposition Temperature** LVP-VOC ND

STABILITY AND REACTIVITY SECTION - 10

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, sodium oxides, silicon Thermal Decomposition

oxides, and other toxic fumes

TOXICOLOGICAL INFORMATION SECTION - 11

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Can cause skin irritation, redness, drying or cracking Skin Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage **Eves**

Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract

May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Symptoms may include, Ingestion

nausea, diarrhea, vomiting, abdominal pain

Acute Tox Calculated Dermal: 16,755 mg/kg Inhaled: 57.5 mg/L Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Acute Tox Category Additional Info

None Listed

Target Organs Kidneys, Liver

Preexisting, liver, kidney, disorders may be aggravated by exposure to this product **Medical Conditions**

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

ACGIH IARC GHS Category CHEMICAL NAME <u>NTP</u> NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

Toxic to Reproduction **CHEMICAL NAME Germ Cell Mutagenicity**

NA None Listed NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	Type	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Nonylphenol Ethoxylate	LD50	Oral	Rat	960 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	1.15 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,991 mg/kg		(>2000 mg/kg)
Sodium Metasilicate Pentahydrate	LD50	Oral	Rat	847 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Rat	Dermal	> 5000 mg/kg		(>2000 mg/kg)
Glycol Ether DB	LD50	Oral	Rat	7,291 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	2,764 mg/kg		(>2000 mg/kg)

SECTION - 12 ECOLOGICAL	INFORMATION			-				
CHEMICAL NAME	Type	Subject Subject Latin	Result Val <u>ue</u>	Exposure Time	GHS Category			
Nonylphenol Ethoxylate	LC50	Bluegill (Lepomis macrochirus)	1.0 mg/L	96 Hours	2 (>1, ≤10 mg/L)			
	EC50	Water Flea (Daphnia magna)	12.2 mg/L	48 Hours	3 (>10, ≤100 mg/L)			
Sodium Metasilicate Pentahydrate	LC50	Zebrafish (Brachydanio rerio)	210 mg/L	96 Hours	4 (>100 mg/L)			
	EC50	Water Flea (Daphnia magna)	1700 mg/L	48 Hours	4 (>100 mg/L)			
2-(2-Butoxyethoxy)ethanol	LC50	Fish (Leuciscus Idus)	1,300 mg/L	96 Hours	4 (>100 mg/L)			
	EC50	Water Flea (Daphnia magna)	>100 mg/L	48 Hours	4 (>100 mg/L)			
Presistence And Degradability	This product is inherently biodegradable according to the OECD definition							
Bioaccumulative Potential	No data available							
Mobility In Soil	This product is water soluble and will move readily in soil and water							
Other Adverse Effects	Harmful to aquatic organisms due to pH shift							

SECTION - 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its composition containing in some or all of its components

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name (Chemicals) or "Limits"

Not Regulated Non Hazardous - Compounds Cleaning Liquid

Hazard ClassPacking GroupLabel CodesReportable Quantity (lbs)ResponseMarine PollutantHazard LabelSecondaryNoneNoneNone154No

Additional Info:

SECTION - 15 REGULATORY IN	FORMATIC	N											
TSCA													
CHEMICAL NAME	Sec 8(b)	Inventory	Se	ec 8(d)	Health A	nd Safety	Se	c 4(a) Cher	nical Test I	Rules	Sec 12(b) Expo	rt Notificatio
Glycol Ethers	Y	es											
Sodium Metasilicate Pentahydrate	Y	es											
REPORTABLE QUANTITIES		Extremely	Hazardous	3		Reportable 0	Quantity	Emission	Reporting				
CHEMICAL NAME	EPCRA TP	Q Sec 302	EPCRA	RQ Sed	304	CERCLA RQ	Sec 103	TRIS	ec 313	RC	RA Code	RMF	TQ Sec 112
Glycol Ethers								Υ	es				
SARA	Se	ction 31	1				Section	on 311 / 3	12 Hazar	ds			
CHEMICAL NAME	Hazard	ous Che	emical		Acute	(Chronic	Fla	mmable		Pressure		Reactive
2-(2-Butoxyethoxy)ethanol		Yes			Yes		Yes						
Nonylphenol Ethoxylate		Yes			Yes								
Sodium Metasilicate Pentahydrate		Yes			Yes								
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	CT	FL	IL	LA	NJ.	NY	PA	MI	MN	MA	RI	WI
2-(2-Butoxyethoxy)ethanol							Yes	Yes					
Nonylphenol Ethoxylate						Yes		Yes					
Sodium Metasilicate Pentahydrate						Yes		Yes					
CALIFORNIA			WARNIN	IG! Th	is proc	luct contai	ns chem	icals kno	wn to the	state o	of Californ	nia to c	ause:
CHEMICAL NAME	CAS#		Birth De	efects		Reproduc	tive Har	m	Carcino	ogen		Develo	pmental
None Listed													
CLEAN AIR WATER ACTS			Clean	Air Ac	ts				C	Clean W	ater Acts		
CHEMICAL NAME	CAS#		HAP		Ozor	ne Class 1	Ozor	ne Class 2	2 1	HS	PP		TP
None Listed													
INTERNATIONAL REGULATIONS -	The compo	nents of	this produ	ıct are	listed o	n the chem	ical inver	ntories of t	he followi	ing cour	ntries:		
CHEMICAL NAME	Austr	alia	Ca	nada	E	urope (EIN	ECS)	Japai	n	K	orea		UK
Glycol Ethers	Ye	8	Y	'es		Yes		Yes		Y	'es		Yes
WHMIS Classification													
CHEMICAL NAME		DSL	Class	Desc	ription								
2-(2-Butoxyethoxy)ethanol		Yes	D-2B	Mate	erials C	ausing Ot	her Toxi	c Effects	; Toxic N	/laterial			

SECTION - 16 OTHER INFORMATION

SDS	LEGEND DESCRIPTION		
~	Approximately	•	Additional Information
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Modern Chemical, Inc. has compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated